

Resellers Who Value Quality & Consistency

PRECISION-MADE SURGICAL
INSTRUMENTS FOR GLOBAL
DISTRIBUTORS & SUPPLIERS

CATALOG



www.exospinesurgical.com

COL LEC TION



Simple and Minimalist Edition

EYE INSTRUMENTS

Engineered for accuracy, supporting delicate ophthalmic procedures and brand trust worldwide consistently.

BEAUTY INSTRUMENTS

Crafted for estheticians and spas to deliver professional-grade, lasting experiences.

DENTAL INSTRUMENTS

Designed for precision dentistry, helping brands improve care and customer loyalty.

BEST SELLER

Wholesale Nail Pushers That Deliver Precision, Hygiene
& Long-Term Value

EYE *Instruments*



EXOSPINE
SURGICAL



Forceps

Capsulorhexis Forceps

Capsulorhexis Forceps
Curved Thin Shaft, Flat Cross-Action Handle



Capsulorhexis Forceps
45° Angled Thin Shaft, Flat Cross-Action Handle



Capsulorhexis Forceps
Curved Thin Shaft,
Cross-Action, Round Knurled Handle



Forceps

Capsulorhexis Forceps

Capsulorhexis Forceps
45° Angled Thin, Cross-Action Shaft,
Round Knurled Handle



Capsulorhexis Forceps
Curved Thin Shaft, Round Knurled Handle



Capsulorhexis Forceps
Curved Thin Shaft,
Cross-Action Ripped Handle




Forceps

Capsulorhexis Forceps

651147

Capsulorhexis Forceps
45° Angled Thin Shaft, Round Knurled Handle



651149

Capsulorhexis Forceps
45° Angled Thin Shaft,
Cross-Action Ripped Handle



651150

Capsulorhexis Forceps
45° Angled Thin Shaft, Flat Handle

SKU	Length	MOQ
651150	105 mm	
651151	85 mm	
651152	115 mm	



651153

Capsulorhexis Forceps
Curved Thin Shaft, Flat Handle

SKU	Length	MOQ
651153	85 mm	
651154	105 mm	
651155	115 mm	



Forceps

Fixation Forceps

551000

Toothed Forceps
Straight Shafts, 5mm Tying Platforms,
Flat Handle, 85 mm Length, 1×2 Teeth

SKU	Size
551000	0.10 mm
551001	0.12 mm
551002	0.15 mm
551003	0.30 mm
551004	0.40 mm
551005	0.50 mm



551006

Toothed Forceps
Straight Shaft, 5 mm Tying Platforms,
Flat Handle, 105 mm Length, 1×2 Teeth

SKU	Size
551006	0.10 mm
551007	0.12 mm
551008	0.15 mm
551009	0.30 mm
551010	0.40 mm
551011	0.50 mm



551012

Toothed Forceps
Straight Shaft, 5 mm Tying Platforms,
Flat Handle, 115 mm Length, 1×2 Teeth

SKU	Size
551012	0.10 mm
551013	0.12 mm
551014	0.15 mm
551015	0.30 mm
551016	0.40 mm
551017	0.50 mm



Forceps

Fixation Forceps

551018

Toothed Forceps
Straight Shaft, 5 mm Tying Platforms,
Round Knurled Handle, 1×2 Teeth

SKU	Size
551018	0.10 mm
551019	0.12 mm
551020	0.15 mm
551021	0.30 mm
551022	0.40 mm
551023	0.50 mm



551024

Toothed Forceps
Straight Shaft, 5 mm Tying Platforms,
Castroviejo Handle, 1×2 Teeth

SKU	Size
551024	0.10 mm
551025	0.12 mm
551026	0.15 mm
551027	0.30 mm
551028	0.40 mm
551029	0.50 mm



551037

Curved Toothed Forceps
Curved Shaft, 5 mm Tying Platforms,
Flat Handle, 1×2 Teeth

SKU	Size
551037	0.10 mm
551038	0.12 mm
551039	0.15 mm
551040	0.30 mm
551041	0.40 mm
551042	0.50 mm



Forceps

Fixation Forceps

551043

Colibri Conjunctiva Toothed Forceps
Curved Shaft, 5 mm Tying Platforms,
Flat Handle, 1×2 Teeth

SKU	Size
551043	0.10 mm
551044	0.12 mm
551045	0.15 mm
551046	0.30 mm
551047	0.40 mm
551048	0.50 mm



551049

Colibri Toothed Forceps
Curved Shaft, 5 mm Tying Platforms,
Flat Handle, 1×2 Teeth

SKU	Size
551049	0.10 mm
551050	0.12 mm
551051	0.15 mm
551052	0.30 mm
551053	0.40 mm
551054	0.50 mm



551055

Colibri Toothed Forceps
Curved Shaft, 5 mm Tying Platforms,
Flat Handle, 1×2 Teeth

SKU	Size
551055	0.10 mm
551056	0.12 mm
551057	0.15 mm
551058	0.30 mm
551059	0.40 mm
551060	0.50 mm



Forceps

Fixation Forceps

551061

Curved Toothed Forceps
Curved Shaft, 5 mm Tying Platforms,
Round Knurled Handle, 1×2 Teeth

SKU	Size
551061	0.10 mm
551062	0.12 mm
551063	0.15 mm
551064	0.30 mm
551065	0.40 mm
551066	0.50 mm



551067

Curved Toothed Forceps
Curved Shaft, 5 mm Tying Platforms,
Castroviejo Handle, 1×2 Teeth

SKU	Size
551067	0.10 mm
551068	0.12 mm
551069	0.15 mm
551070	0.30 mm
551071	0.40 mm
551072	0.50 mm



551080

Kelman-McPherson Forceps
Angled Shaft, 5 mm Tying Platforms,
Flat Handle, 85 mm Length, 1×2 Teeth

SKU	Size
551080	0.10 mm
551081	0.12 mm
551082	0.15 mm
551083	0.30 mm
551084	0.40 mm
551085	0.50 mm



Forceps

Fixation Forceps

551086

Kelman-McPherson Forceps
Angled Shaft, 5 mm Tying Platforms,
Flat Handle, 105 mm Length, 1×2 Teeth

SKU	Size
551086	0.10 mm
551087	0.12 mm
551088	0.15 mm
551089	0.30 mm
551090	0.40 mm
551091	0.50 mm



551092

Kelman-McPherson Forceps
Angled Shaft, 5 mm Tying Platforms,
Flat Handle, 115 mm Length, 1×2 Teeth

SKU	Size
551092	0.10 mm
551093	0.12 mm
551094	0.15 mm
551095	0.30 mm
551096	0.40 mm
551097	0.50 mm



551098

Kelman-McPherson Forceps
Angled Shaft, 5 mm Tying Platforms,
Round Knurled Handle, 1×2 Teeth

SKU	Size	Teeth
551098	0.10 mm	- 1x2
551099	0.12 mm	1x2
551100	0.15 mm	1x2
551101	0.30 mm	1x2
551102	0.40 mm	1x2
551103	0.50 mm	



Forceps

Fixation Forceps

551104

Kelman-McPherson Forceps
Angled Shaft, 5 mm Tying Platforms,
Castroviejo Handle, 1x2 Teeth

SKU	Size
551104	0.10 mm
551105	0.12 mm
551106	0.15 mm
551107	0.30 mm
551108	0.40 mm
551109	0.50 mm



551119

Polack Corneal Suturing Forceps
Curved Shaft, Flat Handle,
0.12 mm Size, 1x2 Teeth



551122

Notched Forceps
Straight Shaft, Tying Platforms,
Flat Handle, 0.25 mm Size

SKU	Length	Teeth	Notch
551122	85 mm	1x2 - -	-
551123	105 mm		Notched
551124	115 mm		Notched



Forceps

Fixation Forceps


551138

Notched Forceps
45° Angled Straight Shaft, Tying Platforms,
Round Handle, 0.25 mm Size, Notched



551139 Notched Forceps

45° Angled Straight Shaft, Tying Platforms,
Castroviejo Handle, 0.25 mm Size, Notched



551141

Hofmann-Polack Corneal Suturing Forceps
45° Angled Straight Shaft, Flat Handle,
0.25 mm Size, Notched



Forceps

Fixation Forceps

551187

Colibri Toothed Forceps
Curved Shaft, 0.12 mm, 1x2 Teeth



651080

Paufrage Forceps
Tying Platforms, Oblique Teeth 0.7 mm



651081

Corneal Forceps
Straight Shaft, Tying Platforms,
Dipped Serrated Handle

SKU	Teeth
651081	Oblique 0.12 mm
651082	Oblique 0.20 mm



Forceps

Tissue Forceps


551120

Adson Forceps
Straight Shaft, No Platform,
Swallow-Tail Handle, 0.40 mm Size, 1×2 Teeth



551235

Moorfields Forceps
Blunt Tipped, For Manipulating the Conjunctiva



551240

Gillis Tissue Forceps

SKU	Size
551240	0.50 mm
551241	0.40 mm
551242	0.30 mm



Forceps

Tying Forceps

551169

Tying Forceps
Straight Shaft, 4.5 mm Tying Platform,
Flat Handle

SKU	Size
551169	85 mm
551170	105 mm
551171	115 mm



551172

Tying Forceps
Straight Shaft, 4.5 mm Tying Platform,
Round Knurled Handle



551175

Tying Forceps
Curved Shaft, 6 mm Tying Platform,
Flat Handle

SKU	Size
551175	85 mm
551176	105 mm
551177	115 mm



Forceps

Tying Forceps

551178

Tying Forceps
Curved Shaft, 6 mm Tying Platform,
Round Knurled Handle



551179

Tying Forceps
Curved Shaft, 6 mm Tying Platform,
Castroviejo Handle



551181

Tying Forceps
45° Angled Shaft, 4.5 mm Tying Platform,
Flat Handle

SKU	Length
551181	85 mm
551182	105 mm
551183	115 mm



Forceps

Tying Forceps

551184

Tying Forceps
45° Angled Shaft, 4.5mm Tying Platform,
Round Knurled Handle



551185

Tying Forceps
45° Angled Shaft, 4.5 mm Tying Platform,
Castroviejo Handle



651187

McPherson Tying Forceps
7.5 mm Tying Platforms



Forceps

Lens Forceps


551188

Lens Forceps
Curved Shaft, Cross-Action Handle,
90° Angled, 1 mm Tips



551189

Lens Forceps
Curved Shaft, Cross-Action Handle,
1 mm Ring Tips



551190

Lens Forceps
Angled Shaft, Flat Handle, 1 mm Round Tips



Forceps

Lens Forceps

551191

Lens Forceps
45° Angled Shaft, Cross-Action Handle,
Smooth Flat Jaws



551192

Kelman-McPherson Lens Forceps
Angled Shaft, Castroviejo Handle,
Smooth Jaws


SKU	Length
551192	102 mm
551193	105 mm



551194

Kelman-McPherson Lens Forceps
Cross-Action Handle, Smooth, Curved Jaws

SKU	Jaws
551194	With Lock
551195	Without Lock



Forceps

Lens Forceps

551199

Kelman-McPherson Lens Forceps
Angled Shaft, Flat Handle



651071

ICL Cartridge Loading Forceps
Cross-Action Shaft



651073

ICL Cartridge Loading Forceps
Flat Handle



Forceps

Lens Forceps

651076

IOL Forceps



651086


Dennis Forceps
Straight Shaft, Flat Handle

MOQ



651160

Lenticule Extraction Forceps



Forceps

LASIK Forceps

551211

Perone LASIK Flap Forceps
2 mm Rings Tips



551212

Perone LASIK Flap Forceps
2 mm Long Tips



551225

LASIK Retreatment Forceps
1x2 Teeth, 0.50 mm Size



551230

LASIK Multipurpose Forceps
Curved Jaws



Forceps

Pre-Chopper Forceps


551200

Akahoshi Prechopper Forceps
Flat Handle, Straight, Cross-Action Shaft,
Maximum Tip Opening 3 mm



551201

Akahoshi Prechopper Forceps
Round Handle, Straight, Cross-Action Shaft



551205

Akahoshi Prechopper Forceps
Cross-Action Handle, 11 mm Angled Long Shaft



Forceps

Pre-Chopper Forceps

551206

Akahoshi Prechopper Forceps
Cross-Action Handle, 10 mm Angled Shaft



551207

Akahoshi Prechopper Forceps
Cross-Action Handle, 12 mm Angled Shaft



551208

Akahoshi Prechopper Forceps
Cross-Action Handle, 12 mm Curved Shaft



Forceps

Chalazion Forceps

551213

Chalazion Forceps
Serrated, Locking Thumb Screw Handle,
Round 8 mm Plate



551214

Chalazion Forceps
Serrated, Locking Thumb Screw Handle,
Oval 8×10 mm Plate



551215

Chalazion Forceps
Serrated, Locking Thumb Screw Handle,
Round 15 mm Plate



551216

Chalazion Forceps
Serrated, Locking Thumb Screw Handle,
Round 12 mm Plate



Forceps

Chalazion Forceps

551217

Chalazion Forceps
Serrated, Locking Thumb Screw Handle,
Oval 12×14 mm Plate



551218

Ciliary Forceps
Flat Handle



551236

Chalazion Forceps
Round 11 mm Plate



551237

Chalazion Forceps
Oval 21×12 mm Plate



Forceps

General Forceps

551219

Scleral Plug Forceps
Cross-Action Shaft, Swallow-Tail Handle



551220

Jeweler Style Forceps
Straight Shaft, 0.05x0.01 mm Tip



551222

Jeweler Style Forceps
45° Angled Shaft, 0.05x0.01 mm Tip,
Extra Delicate



Forceps

General Forceps

551223

Jeweler Style Forceps
Curved Shaft, 0.07×0.03 mm Tip



551224

Landers Vitrectomy Lens Forceps
45° Angled Shaft, Curved Grooved Blades



552034

Mosquito Forceps
Straight Shaft, 24 mm Serrated Jaws



Forceps

General Forceps

552035

Mosquito Forceps
Curved Shaft, 24 mm Serrated Jaws



552042

Towel Clamps
Flat Shaft



651070

Meibomian Forceps



Forceps

General Forceps

651090


Florakis Endothelial Forceps

MOQ



651091

Iris Claw Forceps



651156

Mermoud Forceps



Forceps

Micro Capsulorhexis Forceps

556023

Capsulorhexis Forceps
With Cystotome, Curved Shaft, Long Ending

SKU	Gauge
556023	23G
656023	25G
856023	27G



556040

Capsulorhexis Forceps
Without Cystotome, Curved Shaft

SKU	Gauge
556040	23G
656040	25G
856040	27G



556041

Capsulorhexis Forceps
With Cystotome, Curved Shaft, Short Ending

SKU	Gauge
556041	23G
656041	25G
856041	27G



Needle Holders

Needle Holders

552001

Needle Holder
Straight Jaws, 9 mm Jaw Size, Flat Handle

SKU	Lock
552000	Yes
552001	No



552003

Needle Holder
Straight Jaws, 11 mm Jaw Size, Flat Handle

SKU	Lock
552002	Yes
552003	No



552005

Needle Holder
Straight Jaws, 6 mm Jaw Size,
Round Knurled Handle

SKU	Lock
552004	Yes
552005	No



552007

Needle Holder
Straight Jaws, 9 mm Jaw Size, Flat Handle

SKU	Lock
552006	Yes
552007	No



Needle Holders

Needle Holders

552009

Needle Holder
Curved Jaws, 11 mm Jaw Size,
Round Knurled Handle

SKU	Lock
552008	Yes
552009	No



552011

Needle Holder
Curved Jaws, 9 mm Jaw Size,
Round Knurled Handle

SKU	Lock
552010	Yes
552011	No



552013

Needle Holder
Curved Jaws, 9 mm Jaw Size,
Flat Handle

SKU	Lock
552012	Yes
552013	No



552015

Needle Holder
Curved Jaws, 11 mm Jaw Size,
Flat Handle

SKU	Lock
552014	Yes
552015	No



Needle Holders

Needle Holders

552025

Needle Holder
Curved Jaws, 9 mm Jaw Size,
Round Knurled Handle

SKU	Lock
552024	Yes
552025	No



552027

Needle Holder
Curved Jaws, 6 mm Jaw Size,
Round Knurled Handle

SKU	Lock
552026	Yes
552027	No



552029

Needle Holder
Curved Jaws, 9 mm Jaw Size,
Flat Handle

SKU	Lock
552028	Yes
552029	No



Manipulators

Single-Ended Manipulators

554000

Kuglen Iris Hook
K-Shaped Tip

SKU	Tip
554000	Angled
554001	Straight



554002

Jaffe-Knolle Iris Hook
Iris Hook

SKU	Tip
554002	Angled
554003	Straight



554004

Pupil Snapper Hook
Angled Tip, Smoothly Polished Notch,
Sharp Inner Edge



554005

Lens Manipulator
T-Shaped Tip

SKU	Tip
554005	Straight
554006	Angled



Manipulators

Single-Ended Manipulators

554007

Lens Manipulator
Y Nucleus Rotator, Angled

SKU	Shape
554007	Ver tical
554087	Horizontal



554008


Lens Manipulator
V-Shaped Tip

SKU	Tip
554008	Angled
554009	Straight



554010

Lens Manipulator
Angled Tip, 0.7 mm Tip Size



Manipulators

Single-Ended Manipulators

554011

Lens Manipulator
Curved Tip, 1.1 mm Tip Size



554012

Nucleus Manipulator
Paddle



554013

Nucleus Mushroom Manipulator




Manipulators

Single-Ended Manipulators

554014

Nucleus Manipulator
Connor Wand, Straight Tip



554015

Nucleus Manipulator
Connor Wand, Angled Tip, Round



554016

Nucleus Manipulator
Connor Wand, Angled Tip, Oval




Manipulators

Single-Ended Manipulators

554071

Intra-LASIK Flap Separator
Round, Sharp Tipped Separator



554504

LASIK Flap Lifter/Elevator Binder



654073

ICL Manipulator

SKU	Shape	Tip Diameter
654073	Angled	1 mm 1 mm
654074	Curved	0.6 mm 0.6
654075	Curved	mm
654076	Angled	



Manipulators

Single-Ended Manipulators

654088

Lund Iris Hook
45° Angled



654097

Manipulator
Lester Angled



654098

Sinskey Hook
Straight




Manipulators

Single-Ended Manipulators


654107

Lebuisson Manipulator



654112

Manipulator Cylinder



654113

Manipulator Govan



Choppers

Single-Ended Choppers

554054

Phaco Chopper

SKU	Hand
554054	Left Hand
554055	Right Hand



554056

Phaco Chopper
"M" Hook



554057

Phaco Chopper
Ambidextrous Nucleus Chopper



Choppers

Single-Ended Choppers

554061

Phaco Chopper
Curved Blade, 1.8 mm Tip



554062

Phaco Chopper
Angled Shaft, 1.6 mm Tip

SKU	Hand
554062	Left Hand
554063	Right Hand



554064

Haefliger Phaco Chopper
Chopper & Manipulator in One



Spatulas

Single-Ended Spatulas

554082

Corneal Epithelium Spatula




554083

Epi-Peeler



554084

Hoe Type Epi-Peeler
Square Shaped



554095

Koch Phaco Spatula



654129

Paufique Spatula




Double-Ended Instruments

Double-Ended Instruments


654086

Double-Ended Manipulator
Drysdale/Y Pusher




654087

Double-Ended Manipulator
Cylinder/Y Pusher



654109


Double-Ended Manipulator
Sinskey/Lester



Double-Ended Instruments


654118

Double-Ended Manipulator
Sweep/Y




654123

Double-Ended Manipulator
Reversed Sinskey/Sinskey



554501

Double-Ended Manipulator
Drysdale/Sinskey




Double-Ended Instruments

Double-Ended Instruments


654089

Double-Ended Manipulator
Drysdale/Fukasaku Small Pupil Snapper




654090


Double-Ended Manipulator
Agarwal Phaco Chopper/
Fukasaku Small Pupil Snapper




654096

Double-Ended Manipulator
Drysdale/Koch Chopper






BARRAQUER EYE
SPECULUM



MCPHERSON
TYING FORCEPS

EXPLORE OUR RANGE
EYE INSTRUMENT



IRIS HOOKS



VANNAS
SCISSORS

POPULAR EYE INSTRUMENTS

... *hand-crafted*
for *hand use*

Bishop-Harmon
Dissecting Forceps
straight, 8.5 cm

E30-100 criss-cross serrated

E30-103 0.3 mm teeth

E30-106 0.6 mm teeth



Dressing Forceps
straight, 10.0 cm

E30-110 0.5 mm

E30-112 0.7 mm

E30-114 1.0 mm




serrated jaws

Tissue Forceps
straight, 10.0 cm

E30-120 0.5 mm

E30-122

E30-124



toothed jaws


Elschnig
Scleral Fixation Forceps
oblique 1 x 2 teeth, 10.5 cm
E30-244



Lester
Conjunctiva Fixation Forceps
straight, 0.6 mm, 9.5 cm

E30-232 1 x 2 teeth

E30-233 2 x 3 teeth



straight 90°

EYE INSTRUMENT

POPULAR EYE INSTRUMENTS

Ophthalmic Instruments

Calipers



MA001R

1/1




MA002R

1/1



MB791R

1/1



MA005R

1/1

BRAUNSTEIN Calipers

MA001R

3.5/4.0 mm, 2³/₄"

MA002R

3.0/3.5 mm, 2³/₄"

CASTROVIEJO Eye Calipers

MB791R

Straight, Range 0-15 mm, 3¹/₈"

MA005R

Curved, Range 0-20 mm, 3¹/₈"

POPULAR EYE INSTRUMENTS


Ophthalmic Instruments

Speculums




MA750R

1/1




MA758R

1/1




MA759R

1/1




MA760R

1/1



MA764R

1/1



MA762R

1/1



LIEBERMAN Adjustable Speculums

MA750R

Straight, 16 mm Square Wire Blades, 3 1/8"

MA758R

Angled, 14 mm Square Wire Blades, 3 1/4" Length

MA759R

Angled, 14 mm V-Shaped Wire Blades, 3 1/4" Length

MA760R

Angled, 14 mm Solid Blades, 3 1/4" Length

MA764R

Reversible, Angled, 14 mm Solid Blades, 3 1/8"

JAFFE Wire Lid Retractors

MA762R

15 mm Blades, Pair, 1 1/2"

MA763R

13 mm Blades, Pair, 1 1/2"

POPULAR EYE INSTRUMENTS

Ophthalmic Instruments

Forceps



MA898T

DEVGAN Capsulorhexis Forceps

MA898T

X-Delicate, Semi-sharp tips, 5"



MA148R - MA149R



MA150R



MA151R



MA152R



MA153R



MA154R



MA158R



MB477R



MA148R - MA149R



MA150R



MA151R



MA152R



MA153R



MA154R



MA158R



MB477R

CASTROVIEJO Suture Forceps

MA148R

0.5 mm, 1 x 2 Teeth, with Tying Platform, Wide Handle, 4 1/4"

MA149R

1.5 mm, 1 x 2 Teeth, with Tying Platform, 4 1/4"

MA150R

0.5 mm, 1 x 2 Teeth, with Tying Platform, 4 1/4"

MA151R

0.9 mm, 1 x 2 Teeth, with Tying Platform, 4 1/4"

MA152R

0.22 mm, 1 x 2 Teeth, with Tying Platform, 4 1/4"

MA153R

0.12 mm, 1 x 2 Teeth, with Tying Platform, 4 3/8"

MA154R

0.5 mm, Angled 45° 1 x 2 Teeth, with Tying Platform, 4 1/4"

MA158R


0.3 mm Tip, 1 x 2 Teeth, with Tying Platform, 4 1/8"

MB477R

0.3 mm, 1 x 2 Teeth, with Tying Platform, Wide Handle, 4 3/8"



OC094R



1/1

CASTROVIEJO Tissue Forceps

OC094R

Delicate, 1 x 2 Teeth 0.5 mm, 4"



MA618R



1/1

CASTROVIEJO Cross Action


MA618R

10 mm from Angle to Tip, 4 1/8"

POPULAR EYE INSTRUMENTS

Ophthalmic Instruments

Cannulas




JENSEN Capsule Polisher

MA932R

Curved, Roughened Tip, Front Opening, 25G, 1"

MA957R

Curved, Roughened Tip, Front Opening, 27G, 1"



KNOLLE Capsule Polisher

MA933R

2 mm Angled Tip, Roughened, 30G, 3/4"



BISHOP-HARMON Anterior Chamber Irrigator Set

MA934R

Includes 19G Angled Cannula, Plastic Adaptor, Silicone Bulb

MA935


Silicone Bulb, 28 x 55 mm

MA936

Plastic Adaptor, For Use with MA935

MA937R


Cannula, Angled, 19G, 1"



Hydrodissection Cannula

MA938R

Angled, Flattened Tip, Front Opening, 25G, 3/4"



BRACKEN Irrigating Cannula



MA939R

Curved, Flattened Beveled Tip, Front Opening, 19G, 1 1/4"

EXPLORERS AND
PROBES

DENTAL INSTRUMENTS

EXTRACTION
FORCEPS



SCALERS AND
CURETTES





EXOSPINE
SURGICAL

Tissue Pliers | Chirurgische Pinzetten | Pinzas de disección | Pince à tissu |



5 1/2" 1x2 (14.0 cm) • 9085283

Iris



Dressing - Straight 4" (9.8 cm) • 9085300



Dressing - Curved 4" (9.8 cm) • 9085301



Tissue 1x2 - Curved 4" (9.8 cm) • 9085304

Adson



Tissue 1x2 4 3/4" (12.1 cm) • 9085296



Brown Tissue 4 3/4" (11.8 cm) • 9085299



EXOSPINE
SURGICAL

| Scheren | Tijeras | Ciseaux | **Scissors**

Tissue

Gum 1 Straight • 9065106



Gum 2 Curved • 9065107



Quimby Curved • 9065109





EXOSPINE
SURGICAL

Scissors | Scheren | Tijeras | Ciseaux |



Littauer 4 1/2" (11.4cm) 9085114



Littauer 5 1/2" (14.0cm) •



Spencer 3 1/2" (8.9cm)



EXOSPINE
SURGICAL


Hemostats | Arterienklemmen | Pinzas hemostáticas | Pincas hémostatiques |





EXOSPINE
SURGICAL

| Nadelhalter | Portaagujas | Porte-aiguilles | **Needle Holders**



Crile-Wood 6" (15.2cm) TC •

Tungsten Carbide (TC) Inserts



All Premier needle holders with tungsten carbide inserts, as indicated by a gold handle, are designed for a superior grip, virtually eliminating slipping.



Crile-Wood 6" (15.2cm) •




Castroviejo TC •



EXOSPINE
SURGICAL

| Spreizinstrumente/Wundhaken | Abre bocas/Retractors | **Spreaders/Retractors**



Columbia Cheek Retractor • 1003837




Univ. of Minnesota Retractor • 1033120



Spreader-Small • 9085430 Large • 9085431

ComfortView® Lip & Cheek Retractor



- Retracts lips and cheeks for optimal buccal and gingival access
- Maximum visibility and patient comfort
- Suitable for use in diagnostic, preventative, therapeutic dental applications and digital impression scanning
- Autoclavable, Latex free

- 9061381 Universal ComfortView Lip and Cheek Retractor - 2 per box (white)
- 9061383 Small ComfortView Lip and Cheek Retractor - 2 per box (blue)
- 9061382 ComfortView Refill Cushions - 10 per pack

ComfortView not available from Premier in Europe.


"Outstanding Products"
ComfortView® Lip & Cheek Retractor



EXOSPINE
SURGICAL

Elevators | Wurzelheber | Elevadores | Élévateurs |

Apical (Pointed) – Large Handle



Periosteals can be found on page 62.

Root – Large Handle



Seldin – Large Handle





EXOSPINE SURGICAL

Instrument Cassettes

Premier stainless-steel instrument cassettes offer proven reliability and quality performance with an unparalleled satisfaction guarantee.

Unique, hingeless design offers years of trouble-free operation. Compact, double-stack feature accommodates more instruments for greater efficiency in ultrasonic cleaning, autoclaving and storing. Apertures in side walls, lid and bottom of trays permit optimum flow of cleaning solution, ultrasonic energy and greater access for rinsing.


Includes a five-year satisfaction guarantee.

9010904	Mark I (4 or 8 Instruments) 2.5" x 8.5" x 1.5"
9010908	Mark VI (8 or 16 Instruments) 4.5" x 8.0" x 1.25"
9010924	Mark IV (12 or 24 Instruments) 8.0" x 11" x 1.50"
9010901	Accessory Cassette 1.5" x 3.5" x 1.0"

"Best Products of the Year"
Mark VI Cassette

Premier cassettes are easy to use!

- 1 Rinse cassette/bur block organizer under running water.
- 2 Place cassette/bur block organizer in ultrasonic unit; use Brite Shield™ to remove bio-burden and to clean & protect instruments.
- 3 Rinse cassette/bur block organizer under running water.
- 4 Allow instruments & cassette/bur block organizer to dry thoroughly.
- 5 Wrap cassettes and sterilize.



Mark I (4 or 8 Instruments)
Ideal for prophylaxis or exam setups



Mark VI (8 or 16 Instruments)
Works for most operative procedures



Mark IV (12 or 24 Instruments)
Accessory compartment for loose items



Accessory Cassette
Holds either handpiece head or bur block

* An independent non-profit dental education and product testing foundation, November - December 2007.



EXOSPINE
SURGICAL

| Zangen | Fórceps | Daviers | **Forceps**

Root



69 •



69 •



Upper Root Grip •



Lower Root Grip •



765




Mead 3 •





EXOSPINE
SURGICAL

Specialty | Spezialinstrumente | Especialidad | Spécialité |



Glick 1 •



Glick 2 •




Endodontic Plier •

For additional pliers, see pages 8-9.



Locking (Grooved) 6" (15.0 cm) •



Rubber Dam Clamp Forceps



Rubber Dam Punch •

Tip diameter measurements in millimeters.



EXOSPINE
SURGICAL

Specialty | Spezialinstrumente | Especialidad | Spécialité |

Premier® PerioWise® "The Friendly Probe"®

- Slightly flexible for greater patient comfort.
- Clearly visible when using intra-oral camera.
- Safe around implants
- Autoclavable



Original 3-5-7-10mm

• 9006107 (3-pack)

• 9006102 (6-pack)

• 9006105 (12-pack)



3-6-9-12mm

• 9006108 (3-pack)

• 9006104 (6-pack)

• 9006106 (12-pack)

"Pearls for Your Practice"

Dental Economics - April 2008

A Fast and Accurate Screening System¹

The patient Screening Report helps with patient education and compliance.

- Ideal for full examination or a quick screening
- Easy-to-read 3mm green band indicates periodontal health
- Reaching a red mark indicates the possible presence of periodontal disease



Green - Go



Red - Stop

"Most Highly Rated"*

FREE screening system components available from Premier!



UNC 12

• 9006120 (3-pack)

• 9006121 (6-pack)

• 9006122 (12-pack)


1mm increments up to 12mm

- Provides precision measuring of pocket depths with markings indicating 1mm increments up to 12mm.
- Ideal for complete periodontal examinations.



EXOSPINE
SURGICAL

| Sonden | Sondas | Sondes | **Probes**





EXOSPINE
SURGICAL

204 Series



204

LT-1004840



204 S

BEUL-05623

BE-1005045

LT-1004837

PremierAir-1004696



H-204 S

BEUL-05625

BE-1005050

LT-1004846

PremierAir-1004687



H-204 SD DISTAL

BEUL-05627

BE-1005055

LT-1004847

PremierAir-1004697

Jacquette



Jacquette 1/15

LT-1004832



Jacquette 15/15

LT-1004833



Jacquette 2/3

LT-1004834



Jacquette 25/35

LT-1004835



Jacquette 34-35

BEUL-05645

BE-1005100

LT-1004830

PremierAir-1004686



**Big Easy®
Ultralite™ (BEUL)**
1/2" diam., 16g



Big Easy® (BE)
7/16" diam.
23g



**Light Touch™
Round (LT)**
5/16" diam.
21g



PremierAir™
Scalers & Curettes
11mm diam., 15g



EXOSPINE
SURGICAL

| Küretten | Curetas | Curettes | **Curettes**

Barnhart



Barnhart 1/2

BE-1005105

LT-1004827



Barnhart 5/6

BEUL-05643

BE-1005110

LT-1004829

• PremierAir-1004679

Implant Scalers

- Thin, slightly flexible and safe for use on implants
- Autoclavable (273°F/134°C)



Universal (Columbia 4L/4R)

2 pack • 9061401
5 pack • 9061400



Facial (Goldman-Fox 5)

2 pack • 9061402
5 pack • 9061403



137 Anterior

2 pack • 9061421
5 pack • 9061420



204 Posterior

2 pack • 9061423
5 pack • 9061422



**Big Easy®
Ultralite™ (BEUL)**
1/2" diam., 16g



Big Easy® (BE)
7/16" diam.
23g



**Light Touch™
Round (LT)**
5/16" diam.
21g



**PremierAir™
Scalers & Curettes**
11mm diam., 15g



EXOSPINE
SURGICAL

Curettes | Küretten | Curetas | Curettes |




Gracey 1/2 • BEUL-05601 • BE-1005001 • LT-1004810 • PremierAir-1004660
Short shank for incisors and cuspids



Gracey 3/4 • BEUL-05603 • LT-1004811 • PremierAir-1004661
Short contra-angle shank for incisors and cuspids



Gracey 5/6 • BEUL-05605 • BE-1005010 • LT-1004812 • PremierAir-1004662
Medium shank for cuspids and molars



Gracey 7/8 • BEUL-05607 • BE-1005015 • LT-1004813 • PremierAir-1004663
Medium contra-angle shank for bicuspid and molars, buccal and lingual surfaces



Gracey 9/10 • BEUL-05609 • LT-1004814
Long contra-angled for molars with more acute blade angle



Gracey 11/12 • BEUL-05611 • BE-1005020 • LT-1004815 • PremierAir-1004665
Triple angulation for easy access to buccal/mesial and lingual/mesial surfaces of premolars and molars



Gracey 13/14 • BEUL-05613 • BE-1005025 • LT-1004816 • PremierAir-1004666
Triple angulation for easy access to distal/posterior surfaces of premolars and molars



Gracey 11/14 • LT-1004817
For easy access to a facial or lingual sextant with a single instrument.



Gracey 15/16 • BEUL-05653 • BE-1005026 • LT-1004819
Angled shank, designed to reach mesial surfaces of posterior teeth



Gracey 17/18 • BEUL-05655 • LT-1004820
Highly angled shank for reaching distal surfaces of posterior teeth



EXOSPINE
SURGICAL

Curettes | Küretten | Curetas | Curettes |

Ultrasonic Inserts

| Ultraschalleinsätze zur Zahnsteinentfernung | Insertos ultrasónicos | Pointes ultrasoniques |

Big Easy® Ultrasonic Inserts

Big Easy cushion-grip ultrasonic inserts for improved ergonomic grip and comfort.

- Ergonomically designed large 7/16" diameter for maximum comfort and decreased fatigue
- Compatible with most magnetostrictive handpieces

*"Outstanding Products"**
Big Easy® Ultrasonic Inserts



Big Easy Ultrasonic Inserts - Universal

• 25K-1005300

• 30K-1005310



Big Easy Ultrasonic Inserts - Triple Bend

• 25K-1005305

• 30K-1005315



Big Easy Ultrasonic Inserts - #100 Thin-tip

• 25K-1005320

• 30K-1005330

Big Easy Implant Ultrasonic Inserts • 30K-1005336

- Permanently attached PEEK tip will not scratch implants
 - PEEK is considered an advanced biomaterial used in medical implants
 - PEEK is non-abrasive and proven robust for long-lasting insert tips
- Effectively removes biofilm and calculus

Resin Handle Ultrasonic Insert IF-50 - Universal

• 25K-1006800 (orange)

• 30K-1006900 (yellow)

Resin Handle Ultrasonic Insert IF-1000 - Triple Bend

• 25K-1006802 (red)

• 30K-1006901 (purple)



Resin Handle Ultrasonic Insert - #100 Thin-tip

• 25K-1006820

• 30K-1006920

Cleaning/ Sterilization

Inspect, clean, and sterilize prior to each use.

Cleaning: Rinse inserts thoroughly or fully immerse in a mild ultrasonic cleaning solution. Carefully remove gross debris.

Ultrasonic Cleaning: 7-10 minutes - Inserts placed in an ultrasonic cleaning unit. 16-20 minutes- Inserts placed in a cassette.

Note: Care should be taken in placing inserts. Do not place under other instruments or mishandle. Damage to the stack can result - deformed, warped or bent stacks can compromise the function of the insert.

Rinsing: Thoroughly rinse with tap water and dry completely prior to sterilization. Do not use chemical or surface disinfectants. Do not use phenols.

Sterilization: Sterilize using steam autoclave or chemical vapor sterilizer. Follow sterilizer manufacturer's instructions. Sterilize inserts in an instrument cassette or paper pouch in a steam autoclave. Do not sterilize in 100% plastic sterilization pouches. (A combination paper/plastic pouch is acceptable, paper side down.) Steam sterilize for at least 4 minutes at 270°F/132°C or

30 minutes at 250°F/121°C. Do not expose inserts to temperatures above 275°F/135°C or chemical vapor concentrations exceeding manufacturer's recommendations. Do not use Rapid Heat Transfer (Dry Heat) sterilization method.

Do not use cold disinfectant/cold sterilization solutions. Optimum Performance

- Insert stacks should be straight and parallel at all times.

Bent or warped inserts should be discarded.

- Bent and/or worn tips prevent effective operation of the ultrasonic insert and are subject to breakage.

Insert and shape from original condition.

- Water lines to scaler should be flushed and hand-piece should be filled with water prior to use for most efficient results.

- The O-ring should be carefully maintained to ensure the longest possible life. Maintenance includes water lubrication of O-ring as well as proper seating of insert within the hand-piece.

- Damaged or broken (torn) O-rings should be replaced prior to use.

- Inserts are not indicated for use in restorative dentistry applications.

Proper Placement of Replacement O-Rings

Proper placement of O-rings will significantly extend the life of the O-rings and provide better ultrasonic scaling.

During installation, the O-ring should be protected from the sharp edges of the insert stack. For 25K inserts, this is the 3/16" x 3/16" x 3.75" dark section of the insert. For 30K inserts, this is the 3/16" x 3/16" x 3.0" dark section of the insert.

- Remove and discard old O-ring.

diameter), approximately 1" from the end.

- Slide the straw completely around insert stack, starting with the side of the straw that holds the O-ring. • Slide O-ring off of the straw and place into appropriate groove. Remove and discard straw.

- Sterilize insert before use.


Make sure you are using the supplied O-rings on your ultrasonic inserts, as other O-rings may not be the



EXOSPINE
SURGICAL

Cavity Preparation Instruments

| Instrumente zur Kavitätenpräparation |
| Instrumentos para la preparación de cavidades |
| Instruments pour préparation de cavité |



1st # - Centgrade Scale
2nd # - Standard Scale

Black's Formula

A standard method used to describe the size, shape and angulation of cavity preparation instruments, created by Dr. Greene Vardiman Black ("the father of modern dentistry").

Hatchets, chisels and cavity prep instruments have 3 measurements: (x, y, z), based on a circular 100° (centigrade) scale, instead of the typical 360° (astronomical) scale.

x = the width of the blade in tenths of millimeters.


y = the length of the blade in whole millimeters.

z = the angle the blade forms with the long axis of the handle.


A fourth number, used on select angle formers and margin trimmers, is placed between the first two numbers (x, a, y, z).

a = the degree of angle for the cutting edge to the long axis of the handle.

Carver - Black



Chisel



Hatchet - Black




Hatchet - California






EXOSPINE
SURGICAL

Excavators | Exkavatoren | Excavadores | Excavateurs |




Endodontic Excavators (31LS, 31L, 32L, 33L) available on page 49.



Amalgam Carrier DE Regular (2.00mm) / Large (2.75mm) • 9062201
Also available DE Large (2.75mm) / Jumbo (3.00mm) • 9062202

2.00



Universal Carrier
Mini-tip Right Angle •

1.25



Universal Carrier
Right Angle •
Available to dealer in pack of ten.

2.30




Universal Carrier
Straight •
Available to dealer in pack of ten.

2.30


Universal Carriers are unique placement instruments with a sleek design.
They enable the operator to transport and place amalgam while minimizing finger fatigue.

REPLACEMENT PARTS FOR UNIVERSAL CARRIERS

Item	Item No.
Universal Carrier Nose Tip Straight	9062011
Universal Carrier Nose Tip Right Angle	9062013
Universal Carrier Plunger Straight	9062015
Universal Carrier Plunger Right Angle	9062017
Universal Carrier Spring (Fits all carriers)	9062021
Mini-plunger Right Angle	9062034



Bredall - Smooth




Bredall Pluggers/Condensers have a unique rest.

Condensation pressure is directed to gingival and occlusal areas - not angulated towards the matrix bands. This is especially important when the operator is seated, because the dentist does not have to contort with the instruments to get packing thrust.

Additionally, the patient does not have to open as wide. The angulation does not have to be exaggerated to pack correctly. The finger rest aids in giving better amalgam packing forces.

Bredall - Serrated





EXOSPINE
SURGICAL

Pluggers/Condensers

| Stopfer/Kondensierer | Obturadores/Condensadores | Foulloirs à amalgame |




| Kronenringabnehmer | Removedores de coronas | Arrache-couronnes | **Crown Removers**



Flashing Crown Remover

Ideal for removing provisionally cemented crowns without damaging margins and is less traumatic to the patient.





EXOSPINE
SURGICAL

Pluggers/Condensers

| Stopfer/Kondensierer | Obturadores/Condensadores | Foulloirs à amalgame



Placement - Mini Spatula •



22 • 1004366



24A • 1004368



24 • 1004367



36 • 1004369




CMI 24 • 1004365



313 • 1004370

Wax Spatulas



7 • 1004375



7A • 1004376



7L • 1004377



31 • 1004379

BEST SELLER

BEA UTY




Every ophthalmic tool is produced under stringent control systems designed to support your global supply chain and ensure compliance with relevant standards.

BEA UTY

CUTICLE
NIPPERS

EYEBROW
TWEEZERS



BLACKHEAD
REMOVERS



BEA UTY



AI-BI-07-001
Description (xxiv)



AI-BI-07-002
Description (xxiv)



AI-BI-07-003
Description (xxiv)



AI-BI-07-004
Description (xxiv)



AI-BI-07-005
Description (xxiv)



AI-BI-07-006
Description (xxiv)



AI-BI-07-007
Description (xxiv)



AI-BI-07-008
Description (xxiv)

BEA UTY



AI-BI-07-009
Description (xxiv)



AI-BI-07-010
Description (xxiv)



AI-BI-07-011
Description (xxiv)



AI-BI-07-012
Description (xxiv)



AI-BI-07-013
Description (xxiv)



AI-BI-07-014
Description (xxiv)



AI-BI-07-015
Description (xxiv)



AI-BI-07-016
Description (xxiv)

BEA UTY



AI-BI-07-056
Description (xxiv)



AI-BI-07-018
Description (xxiv)



AI-BI-07-019
Description (xxiv)



AI-BI-07-020
Description (xxiv)



AI-BI-07-021
Description (xxiv)



AI-BI-07-022
Description (xxiv)



AI-BI-07-023
Description (xxiv)



AI-BI-07-024
Description (xxiv)

BEA UTY



AI-BI-07-041
Description (xxiv)



AI-BI-07-042
Description (xxiv)



AI-BI-07-043
Description (xxiv)



AI-BI-07-044
Description (xxiv)



AI-BI-07-045
Description (xxiv)



AI-BI-07-046
Description (xxiv)



AI-BI-07-047
Description (xxiv)



AI-BI-07-048
Description (xxiv)

BEA UTY



AI-BI-08-001
Description (xxv)



AI-BI-08-002
Description (xxv)



AI-BI-08-003
Description (xxv)



AI-BI-08-004
Description (xxv)



AI-BI-08-005
Description (xxv)



AI-BI-08-006
Description (xxv)



AI-BI-08-007
Description (xxv)



AI-BI-08-008
Description (xxv)

BEA UTY



AI-BI-08-057
Description (xxv)



AI-BI-08-058
Description (xxv)



AI-BI-08-059
Description (xxv)



AI-BI-08-060
Description (xxv)



AI-BI-08-061
Description (xxv)



AI-BI-08-062
Description (xxv)



AI-BI-08-063
Description (xxv)



AI-BI-08-064
Description (xxv)

BEA UTY



AI-BI-09-001
Description (xxvi)



AI-BI-09-002
Description (xxvi)



AI-BI-09-003
Description (xxvi)



AI-BI-09-004
Description (xxvi)



AI-BI-09-005
Description (xxvi)



AI-BI-09-006
Description (xxvi)



AI-BI-09-007
Description (xxvi)



AI-BI-09-008
Description (xxvi)

BEA UTY



AI-BI-09-009
Description (xxvi)



AI-BI-09-010
Description (xxvi)



AI-BI-09-011
Description (xxvi)



AI-BI-09-012
Description (xxvi)



AI-BI-09-013
Description (xxvi)



AI-BI-09-014
Description (xxvi)



AI-BI-09-015
Description (xxvi)



AI-BI-09-016
Description (xxvi)

BEA UTY



AI-BI-11-001
Description (xxviii)



AI-BI-11-002
Description (xxviii)



AI-BI-11-003
Description (xxviii)



AI-BI-11-004
Description (xxviii)



AI-BI-11-005
Description (xxviii)



AI-BI-11-006
Description (xxviii)



AI-BI-11-007
Description (xxviii)



AI-BI-11-008
Description (xxviii)

BEA UTY



AI-BI-11-009
Description (xxviii)



AI-BI-11-010
Description (xxviii)



AI-BI-11-011
Description (xxviii)



AI-BI-11-012
Description (xxviii)



AI-BI-11-013
Description (xxviii)



AI-BI-11-014
Description (xxviii)



AI-BI-11-015
Description (xxviii)



AI-BI-11-016
Description (xxviii)



BEA UTY



AI-BI-12-001



AI-BI-12-002



AI-BI-12-003



AI -BI-12-004



AI-BI-12-005



AI-BI-12-006



AI-BI-12-007



AI -BI-12-008



AI-BI-12-009



AI-BI-12-010

BEA UTY



AI-BI-13-001
(Description xxix)



AI-BI-13-002
(Description xxix)



AI-BI-13-003
(Description xxix)



AI-BI-13-004
(Descriptionxxix)



AI-BI-13-005
(Description xxix)



AI-BI-13-006
(Description xxix)



AI-BI-13-007
(Description xxix)



AI-BI-13-008
(Description xxix)

BEA UTY



AI-BI-13-009
(Description xxix)



AI-BI-13-010
(Description xxix)



AI-BI-13-011
(Description xxix)



AI-BI-13-012
(Description xxix)



AI-BI-13-013
(Description xxix)



AI-BI-13-014
(Description xxix)



AI-BI-13-015
(Description xxix)



AI-BI-13-016
(Description xxix)

BEA UTY



AI-BI-14-001



AI-BI-14-002



AI-BI-14-003



AI-BI-14-004



AI-BI-14-005



AI-BI-14-006



AI-BI-14-007

BEA UTY



AI-BI-15-001
(Description xxx)



AI-BI-15-002
(Description xxx)



AI-BI-15-003
(Description xxx)



AI-BI-15-004
(Description xxx)



AI-BI-15-005
(Description xxx)



AI-BI-15-006
(Description xxx)



AI-BI-15-007
(Description xxx)



AI-BI-15-008
(Description xxx)

BEA UTY



AI-BI-15-009
(Description xxx)



AI-BI-15-010
(Description xxx)



AI-BI-15-011
(Description xxx)

BEA UTY



Barber Shears Kit
Barber Shears Kits



Barber Shears Kit
Barber Shears Kits



Barber Shears Kit
Barber Shears Kit



Barber Shears Kit
Barber Shears Kit



Barber Shears Kit
Barber Shears Kits



Barber Shears Kit
Barber Shears Kit

BEA UTY



Barber Shears Kit
Barber Shears Kits



Barber Shears Kit
Barber Shears Kits



Barber Shears Kit
Barber Shears Kits



Barber Shears Kit
Barber Shears Kits



Barber Shears Kit
Barber Shears Kits

BEA UTY



Single Pcs Barber Scissor Kit.
AI-0-2201
Available with any barber scissor.



Single Pcs Barber Scissor Kit
AI-0-2202
Available with any barber scissor.



6 Pcs Manicure Kit.
AI-0-2203
Also available with your required products.



7 Pcs Manicure Kit.
AI-0-2204
Also available with your required products.



6 Pcs Manicure Kit.
AI-0-2205
Also available with your required products.



6 Pcs Manicure Kit.
AI-0-2206
Also available with your required products.

BEST SELLER



Every ophthalmic tool is produced under stringent control systems designed to support your global supply chain and ensure compliance with relevant standards.

KEEP IN TOUCH

HEAD OFFICE

Kotli Loharan West (Kotli Loharan),
Sialkot District, Punjab, Pakistan
Postal Code: 51220

CUSTOMER SUPPORT

(0327-5899215)
(0324-0714378)

